AUTHOR INDEX

Allendoerfer, R. D., 407
An-Cheng Chang, 71
Annis, B. K., 191
Armes, S. P., 385

Baltá Calleja, F. J., 53
Batail, P., 201
Bechgaard, K., 201
Berlin, A., 89
Berlinger, W., 317
Bertinotti, A., 35
Billaud, D., 239
Blazey, K. W., 317
Braun, D., 63
Bryce, M. R., 185

Cagiao, M. E., 53
Carneiro, K., 35
Chan, H. S. O., 365
Chien, J. C. W., 349
Cousseins, J. C., 93, 121
Cruz-Vazquez, C., 231

Davies, C., 365
Day, P., 415
Dhindsa, A. S., 185
Djurado, D., 93, 121
Dougherty, D. A., 171

Egli, M., 265
Elsenbaumer, R., 179

Fabre, C., 93, 121
Fernando, Q., 231
Ferraccioli, R., 89
Friend, R. H., 415

Gaier, J. R., 15

Hall, H. K., Jr., 115
Hamwi, A., 93, 121
Hanack, M., 9
Harbeke, G., 317
Heeger, A. J., 63, 79, 371
Herrera, C. D., 273
Hotta, S., 79, 103
Howard, J. A. K., 415

Inganäs, O., 395
Inoue, M., 231
Inoue, M. B., 231
Ishizuka, K., 337

Jacobsen, C. S., 35
Jenekhe, S. A., 273, 291
Jeyadev, S., 209

Kang, E. T., 365
Kawamoto, A., 305
Kaye, B., 35
Kiess, H., 265, 317
Kivelson, S., 371
Kobayashi, T., 337
Kobel, W., 265
Kroemer, H., 63
Kulszewicz-Bajer, I., 239
Kume, K., 41
Kuo, T., 115
Kurata, H., 337
Kurihara, S., 219
Kurmoo, M., 415
Kuroda, H., 305
Kwan-Yue Jen, 179

Laakso, J., 395
Leverenz, A., 9
Lloyd, J. P., 185
Lusk, J., 257

MacDiarmid, A. G., 191
Maddison, D. S., 257
Masubuchi, S., 41
Miller, J. F., 385
Miller, L. L., 71
Mishima, A., 23
Mizoguchi, K., 41
Mizuno, K., 41
Mori, Y., 219
Mortensen, K., 35
Müller, K. A., 317
Munro, H. S., 365

Naarmann, H., 1
Narten, A. H., 191
Nasu, K., 23
Nebesny, K. W., 231

Obertelli, D. S., 415
Oiji, M., 247
Oudard, J. F., 407
Österholm, J.-E., 395
Osteryoung, R. A., 407
Otto, P., 129

Palacios, J. M., 53
Pagani, G. A., 89
Penicaud, A., 201
Petty, M. C., 185
Phillips, S., 63
Pranata, J., 171
Pyrka, G. J., 231

Qibing Pei, 145

Racchini, J. R., 273, 291
Rice, M. J., 209
Richter, A. F., 191
Rueda, D. R., 53
Rughooputh, S. D. D. V., 79

Salaneck, W. R., 395
Sala-Pala, J., 201
Sannicolò, F., 89
Schärli, M., 317
Schlenoff, J. B., 349
Schwab, S. T., 273
Shacklette, L. W., 179
Shen Yueqiang, 35
Shirakawa, H., 41
Skowroński, J. M., 157
Stringer, A. M., 415

Talham, D. R., 415
Tanaka, J., 305
Tanaka, K., 247
Theophilou, N., 1
Tomozawa, H., 63

Ugawa, A., 305
Underhill, A. E., 35
Unsworth, J., 257
Uyeda, N., 337

Wellinghoff, S. T., 273, 291

Xiantong Bi, 145

Yakushi, K., 305
Yamabe, T., 247
Yamanaka, S., 247

© Elsevier Sequoia/Printed in The Netherlands

SUBJECT INDEX

Aluminium
  $AlCl_3$-assisted formation of charge-transfer complexes between polyacetylene and TCNE, 239
  polyfluorophthalocyanines, high resolution solid-state ^{13}C CPMAS study of neutral and partially oxidized, 121
  preparation of $XeFe_2$-doped Al polyfluorophthalocyanines; magnetic and electrical properties of $[(PcAlF)(XeF_2)_{0.35}]_n$, 93
Ammonium persulphate
  polymerization of aniline in aqueous solution by, optimum reaction conditions for, 385
Anderson localization
  in polyacetylene chain with sp^3 carbon defects, 247
Aniline
  optimum reaction conditions for polymerization of, in aqueous solution by ammonium persulphate, 385
Antimony
  properties of $SbCl_5$-doped PPP/PPS composites; electrical conductivity study, 53

$(BEDT–TTF)_2CuCl_2$
  new conducting charge transfer salt, 415
α'-$(BEDT–TTF)_2IAuBr$
  crystal structure and polarized reflectance spectra of α'-(bis(ethylenedithio)-tetrathiafulvalenium)$_2$-bromoiodoaurate, 305
Benzene
  K–benzene–graphite intercalation compound, orientation dependence of carbon K-edge in electron energy loss spectra of, 337
Benzene rings
  organic polymer based on, bridged by carbons, ferromagnetism in new type of, 23
Benzodipyrroles
  chemical oxidative polymerization of some, to electroconductive materials, 89
Bipolarons
  bond, and superconductivity in layered copper-oxide perovskites, 209
  spectroscopic studies of, from oligomerized 3-methoxythiophene in solution, 71
Boron
  ESR of BF_4^--doped polythiophene, 317
Bromination dynamics
  of various carbon and graphite fibers, comparison of, 15
Bromine
  covalent bond to, in HBr-treated polyaniline from X-ray diffraction, 191

Carbon
  Anderson localization in polyacetylene chain with sp^3 C defects, 247
  bromination dynamics of carbon and graphite fibers, comparison of, 15
  ferromagnetism in new type of organic polymer based on benzene rings bridged by, 23
  orientation dependence of carbon K-edge in electron energy loss spectra of potassium–benzene–graphite intercalation compound, 337
Charge transfer complexes
  between polyacetylene and TCNE, $AlCl_3$-assisted formation of, 239
  polypyrrole–halogen, XPS studies of chemically synthesized, 365
Charge transfer salt
  $(BEDT–TTF)_2CuCl_2$, new conducting, 415
  N-octadecylpyridinium–TCNQ, electroactive Langmuir–Blodgett films of, 185
Chemical oxidative polymerization
  of some benzodipyrroles to electroconductive materials, 89
Chromium
  electrochemical and chemical reactivity of graphite intercalation compounds with CrO_3, 157

© Elsevier Sequoia/Printed in The Netherlands

Composite(s)
conducting polymer, of soluble polythiophenes in polystyrene, 79
electrically-conductive, prepared by electrochemical polymerization of pyrrole into polyurethane, 145
$SbCl_5$-doped PPP/PPS, properties of; electrical conductivity study, 53
Conductivity
intrinsic, of conducting polymers, 371
metallic temperature dependence of, in heavily-doped polyacetylene, 41
Conductivity studies
of poly(2,5-dimethoxy-1,4-phenylene vinylene), synthesis and, 179
Conformation
and electronic structure of poly(3,4-diisopropylidenecyclobutene), cross-conjugated conductive polymer, 171
Copper
$(BEDT–TTF)_2CuCl_2$, new conducting charge transfer salt, 415
bond bipolarons and superconductivity in layered copper-oxide perovskites, 209
reaction of TMTSF with Cu(II) halides and electrical properties of products, 231
Core potentials
investigation on poly(vinylene sulphide); *ab initio* energy band structure, use of effective, lattice sum truncation, 129
Covalent bond
to Br in HBr-treated polyaniline from X-ray diffraction, 191
CPMAS study
high resolution solid-state ^{13}C, of neutral and partially oxidized Al polyfluorophthalocyanines, 121
Crystal structure
of α'-(bis(ethylenedithio)–tetrathiafulvalenium)$_2$-bromoiodoaurate, α'-$(BEDT–TTF)_2IAuBr$, 305

Electrical conductivity
in polypyrrole, pressure dependence of, 257
properties of $SbCl_5$-doped PPP/PPS composites, 53
and thermopower studies on $Fe_x[Pt(C_2O_4)_2]\cdot 6H_2O$ (where $x \triangleq 0.8$), 35
Electrical properties
of $[(PcAlF)(XeF_2)_{0.35}]_n$, 93
reaction of TMTSF with Cu(II) halides and, of products, 231
Electrochemical doping
of (μ-pyrazine)-phthalocyaninato-iron(II), 9
Electrochemical polymerization
electrically-conductive composite prepared by, of pyrrole into polyurethane, 145
Electrochemical reactivity
of graphite intercalation compounds with CrO_3, and chemical, 157
Electrochemical synthesis
and spectroscopic study of poly(3-alkylthienylenes), 103
Electroconductive materials
chemical oxidative polymerization of some benzodipyrroles to, 89
Electron energy loss spectra
of K–benzene–graphite intercalation compound, orientation dependence of carbon K-edge in, 337
Electronic structure
of poly(3,4-diisopropylidenecyclobutene), cross-conjugated conductive polymer, conformation and, 171
Energy band structure
investigation on poly(vinylene sulphide); *ab initio*, use of effective core potentials, lattice sum truncation, 129
EPR electrochemical measurements
on polyfluorene in ambient temperature ionic liquids, simultaneous, 407
ESR
of BF_4^--doped polythiophene, 317

Ferromagnetism
in new type of organic polymer based on benzene rings bridged by carbons, 23
Fluorine
conductive tetramethyltetraselenafulvalenium salt based on divalent oxalato-bridged bis-(tetrafluorometallate) complex; $(TMTSF)_3Ti_2F_8(C_2O_4)$, 201
ESR of BF_4^--doped polythiophene, 317

Graphite fibers
bromination dynamics of carbon and, comparison of, 15
Graphite intercalation compound(s)
electrochemical and chemical reactivity of, with CrO_3, 157
K–benzene–, orientation dependence of carbon K-edge in electron energy loss spectra of, 337

Halogen
polypyrrole–, charge transfer complexes, XPS studies of chemically synthesized, 365

Iron
$Fe_x[Pt(C_2O_4)_2]\cdot 6H_2O$ (where $x \triangleq 0.8$), electrical conductivity and thermopower studies on, 35
(μ-pyrazine)-phthalocyaninatoiron(II), electrochemical doping of, 9

Langmuir–Blodgett films
of *N*-octadecylpyridinium–TCNQ charge-transfer salt, electroactive, 185
Lattice sum truncation
investigation on poly(vinylene sulphide); *ab initio* energy band structure, use of effective core potentials, 129

Magnetic properties
of $[(PcAlF)(XeF_2)_{0.35}]_n$, 93
Metal-like
stable polyacetylene, new process for production of, 1
Metal–polymer
Schottky barriers on cast film of soluble poly(3-alkylthiophenes), 63
Metallic temperature dependence
of conductivity in heavily-doped polyacetylene, 41
3-Methoxythiophene
bipolarons from oligomerized, in solution, spectroscopic studies of, 71
Microlithography
generation of micropatterns in poly(3-methylthiophene) films using; first step in design of all-organic thin-film transistor, 265
Molecular orbital method
calculation of localized vibrational modes around soliton in *trans*-polyacetylene using, 219

N-Octadecylpyridinium
–TCNQ charge-transfer salt, electroactive Langmuir–Blodgett films of, 185
Optical transmittance
synthesis and studies of poly(3,9-carbozolyl), new conductive polymer displaying high, in visible, 273
Organic polymer
ferromagnetism in new type of, based on benzene rings bridged by carbons, 23
Orientation dependence
of carbon K-edge in electron energy loss spectra of potassium–benzene–graphite intercalation compound, 337

Perovskites
layered copper-oxide, bond bipolarons and superconductivity in, 209
Platinum
$Fe_x[Pt(C_2O_4)_2]\cdot 6H_2O$ (where $x \triangleq 0.8$), electrical conductivity and thermopower studies on, 35
Polyacetylene
$AlCl_3$-assisted formation of charge-transfer complexes between, and tetracyanoethylene, TCNE, 239
calculation of localized vibrational modes around soliton in, using molecular orbital method, *trans*-, 219
chain with sp^3 carbon defects, Anderson localization in, 247
efficiency, stability and self discharge of electrochemically-doped, in propylene carbonate electrolyte, 349
Polyacetylene
metal-like, stable, new process for production of, 1
metallic temperature dependence of conductivity in heavily-doped, 41
Poly(3-alkylthienylenes)
electrochemical synthesis and spectroscopic study of, 103

Poly(3-alkylthiophenes)
metal–polymer Schottky barriers on cast films of soluble, 63
Polyaniline
covalent bond to Br in HBr-treated, from X-ray diffraction, 191
Poly(3,9-carbazolyl)
synthesis and studies of; new conductive polymer displaying high optical transmittance in visible, 273
Poly(3,4-diisopropylidenecyclobutene)
cross-conjugated conductive polymer, conformation and electronic structure of, 171
Poly(2,5-dimethoxy-1,4-phenylene vinylene)
synthesis and conductivity studies of, 179
Polyfluorene
simultaneous EPR electrochemical measurements on, in ambient temperature ionic liquids, 407
Polyfluorophthalocyanines
neutral and partially oxidized Al, high resolution solid-state ^{13}C CPMAS study of, 121
preparation of XeF_2-doped Al; magnetic and electrical properties of $[(PcAlF)(XeF_2)_{0.35}]_n$, 93
Poly(3-hexylthiophene)
thermochromic and solvatochromic effects in, 395
Poly-*N*-hydro-(3,6-carbazolyl)
protective group synthesis of, 291
Polymer(s)
cross-conjugated conductive, conformation and electronic structure of poly(3,4-diisopropylidenecyclobutene), 171
ferromagnetism in new type of organic, based on benzene rings bridged by carbons, 23
intrinsic conductivity of conducting, 371
metal–, Schottky barriers on cast films of soluble poly(3-alkylthiophenes), 63
new conductive, displaying high optical transmittance in visible; synthesis and studies of poly(3,9-carbazolyl), 273
Polymer composites
of soluble polythiophene in polystyrene, conducting, 79
Polymerization
of aniline in aqueous solution by ammonium persulphate, optimum reaction conditions for, 385
chemical oxidative, of some benzodipyrroles to electroconductive materials, 89
Poly(3-methylthiophene)
films, generation of micropatterns in, using microlithography; first step in design of all-organic thin-film transistor, 265
Polypyrrole
–halogen charge transfer complexes, XPS studies of chemically synthesized, 365
pressure dependence of electrical conductivity in, 257
Polystyrene
conducting polymer composites of soluble polythiophenes in, 79
Polythiophene(s)
conducting polymer composites of soluble, in polystyrene, 79
ESR of BF_4^--doped, 317
Polyurethane
electrically-conductive composite prepared by electrochemical polymerization of pyrrole into, 145
Poly(vinylene sulphide)
investigation on; *ab initio* energy band structure, use of effective core potentials, lattice sum truncation, 129
Potassium
–benzene–graphite intercalation compound, orientation dependence of carbon K-edge in electron energy loss spectra of, 337
PPP/PPS
composites, properties of $SbCl_5$-doped; electrical conductivity study, 53
Pressure dependence
of electrical conductivity in polypyrrole, 257
Production
of metal-like, stable polyacetylene, new process for, 1
Propylene carbonate electrolyte
efficiency, stability and self discharge of electrochemically-doped polyacetylene in, 349
Protective group synthesis
of poly-*N*-hydro-(3,6-carbazolyl), 291

(μ-Pyrazine)-phthalocyaninatoiron(II)
electrochemical doping of, 9
Pyrrole
electrically-conductive composite prepared by electrochemical polymerization of, into polyurethane, 145

Reflectance spectra
of α'-(bis(ethylenedithio)–tetrathiafulvalenium)$_2$-bromoiodoaurate, α'-(BEDT-TTF)$_2$IAuBr, crystal structure and polarized, 305

Schottky barriers
metal–polymer on cast films of soluble poly(3-alkylthiophenes), 63
Self discharge
of electrochemically-doped polyacetylene in propylene carbonate electrolyte, efficiency, stability and, 349
Soliton
calculation of localized vibrational modes around, in *trans*-polyacetylene using molecular orbital method, 219
Solvatochromic effects
in poly(3-hexylthiophene), thermochromic and, 395
Spectroscopic studies
of bipolarons from oligomerized 3-methoxythiophene in solution, 71
of poly(3-alkylthienylenes), electrochemical synthesis and, 115
Superconductivity
bond bipolarons and, in layered copper-oxide perovskites, 209
Synthesis
and conductivity studies of poly(2,5-dimethoxy-1,4-phenylene vinylene), 179

TCNE
$AlCl_3$-assisted formation of charge-transfer complexes between polyacetylene and tetracyanoethylene, 239
TCNQ
N-octadecylpyridinium–, charge-transfer salt, electroactive Langmuir–Blodgett films of, 185
Thermochromic effects
in poly(3-hexylthiophene), and solvatochromic effects, 395
Thermopower studies
on $Fe_x[Pt(C_2O_4)_2]\cdot 6H_2O$ (where $x \triangleq 0.8$), electrical conductivity and, 35
Titanium
conductive tetramethyltetraselenafulvalenium salt based on divalent oxalato-bridged bis-(tetrafluorometallate complex; $(TMTSF)_3Ti_2F_8(C_2O_4)$, 201
TMTSF
conductive tetramethyltetraselenafulvalenium salt based on divalent oxalato-bridged bis-(tetrafluorometallate) complex; $(TMTSF)_3Ti_2F_8(C_2O_4)$, 201
reaction of TMTSF with Cu(II) halides and electrical properties of products, 231
Transistor
all-organic thin-film; generation of micropatterns in poly(3-methylthiophene) films using microlithography; first step in design of, 265

Vibrational modes
calculation of localized, around soliton in *trans*-polyacetylene using molecular orbital method, 219

Xenon
preparation of XeF_2-doped Al polyfluorophthalocyanines; magnetic and electrical properties of $[(PcAlF)(XeF_2)_{0.35}]_n$, 93
XPS studies
of chemically synthesized polypyrrole–halogen charge transfer complexes, 365
X-ray diffraction
covalent bond to Br in HBr-treated polyaniline from X-ray diffraction, 191